City of Bainbridge Island Building Division

→ Mobile/Manufactured Home Packet →

PLANNING AND COMMUNITY DEVELOPMENT ● 280 Madison Ave. N ● Bainbridge Island, WA 98110 ● (206) 842-2552 ● Fax: (206)780-0955

Email: pcd@ci.bainbridge-isl.wa.us



DEFINITIONS

WAC 296-150M-0020 What definitions apply to this chapter?

"Alteration" is the replacement, addition, modification, or removal of any equipment or installation that affects the construction, planning considerations, fire safety, or the plumbing, mechanical, and electrical systems of a manufactured home. The installation of whole-house water treatment equipment that requires cutting into the existing plumbing is considered an alteration and requires a permit, an inspection and an alteration insignia.

<u>"Manufactured home"</u> is a single-family dwelling built according to the Department of Housing and Urban Development Manufactured Home Construction and Safety Standards Act, which is a national, preemptive building code. A manufactured home also:

Includes plumbing, heating, air conditioning, and electrical systems;

Is built on a permanent chassis; and

Can be transported in one or more sections with each section at least eight feet wide and forty feet long when transported; or when installed on the site is three hundred twenty square feet or greater (see RCW 46.04.302).

Note:

Total square feet is based on exterior dimensions measured after installation using the longest horizontal projections. Dimensions may not include bay windows but may include projections containing interior space such as cabinets and expandable rooms.

Exception:

A structure that meets the requirements of a manufactured home as set out in 24 CFR 3282.7(u), except the size requirements is considered a manufactured home, if the manufacturer files with the secretary of HUD a certificate noted in CFR 3282.13.

"Mobile home" is a factory-built dwelling built prior to June 15, 1976, to standards other than the HUD Code, and acceptable under applicable state codes in effect at the time of construction or introduction of the home into the state. Mobile homes have not been built since the introduction of the HUD Manufactured Home Construction and Safety Standards Act. For the purposes of this chapter references to manufactured homes include mobile homes.

RCW 43.22.450

Factory built housing and commercial structures, regulating installation of -- Definitions. Whenever used in RCW 43.22.450 through 43.22.490:

(3) <u>"Factory built housing"</u> means any structure designed primarily for human occupancy **OTHER THAN A MANUFACTURED OR MOBILE HOME** the structure or any room of which is either entirely or substantially prefabricated or assembled at a place other than a building site;

Page 1 of 28 May 6, 2011

Submittal Requirements

The following information is needed to process a permit request for a **MOBILE/MANUFACTURED** home permit.

• A completed application

School Impact Fee:

- Two copies of the site plan
- Two copies of the foundation plan (including type of Wind Anchor) & (Pier Detail)
- Two copies of Manufacture's Installation Specifications.
- Two copies of Stair/Deck/Landing Details (if applicable, please see enclosed handout)
- Preliminary or accepted approval from Kitsap County Health Department (360) 337-5285
- Surface & Stormwater Management Plan (SSWMP)
- Road approach (Required for an existing driveway or a new driveway. Please attach a site plan)
- An electrical permit is obtained by the State Department of Labor and Industries (360) 415-4000.

Mobile/Manufactured Home Permit Fee: \$150.00 (\$50 PC + \$100 Permit)

Decks/Porches/Etc per Sq. Ft. Table

\$4.390.00 (Not applicable if removing existing residence)

SBCC	: \$4.50
	Inspection Requirements
	Footing/foundation
	Blocking and tie downs (Please do not skirt home until after blocking and tie downs have been
	inspected and approved.) Thank-you
Note:	Drainage Inspection Approval, Electrical Approval and Kitsap County Health Department
Appro	val must be complete before a final inspection can be requested.
	Final – Skirting decks, landings, stairs, handrails, etc. will all be inspected at final inspection

INSTALLATION REQUIREMENTS

- 1. All manufactured homes shall be installed in compliance with the national manufacturers housing procedural and enforcement regulations in Subparts F and I of 24 CFR Part 3282 adopted as of April 1, 1982, which are incorporated into these rules by this reference.
- 2. A U.S Housing and Urban Development (HUD) labeled manufactured home shall also be installed in compliance with the manufactured home manufacturer's recommendations. The recommendations must be approved by HUD. The manufacturer shall send two copies of the approved installations recommendations to the purchaser of the manufactured home. The copies shall be in the home and available at the time of inspection. A manufactured home not labeled by HUD shall also be installed in accordance with installation recommendations provided by a professional engineer or architect licensed in the State of Washington.
- 3. To the extent that the installation of a manufactured home is not covered by a manufacturer, engineer, or architect's recommendations, the manufactured home shall comply with the installation requirements set out below.
- 4. No person, firm partnership, corporation or other entity may install a manufactured home unless he/she, or it owns the manufactured home, is a licensed manufactured home dealer, or is a contractor registered under the Registration of Contractors Act (RCW 18.27).
- 5. In those areas that are recognized as flood plains by the Washington State Department of Ecology or the Federal Emergency Management agency, or are hazardous because of the probability of earthquakes, ground slides, avalanches, or high winds, the building official may set requirements that are necessary to lessen the hazards.

Page 2 of 28 May 6, 2011

INSTALLATION, INSPECTION REQUIREMENTS

- 1. Installation of a new manufactured home.
 - a. The initial manufacture home installation must be conducted according to the manufacturer's instructions.
 - b. If the manufacturer's instructions do not address an aspect of the installation, you may request:
 - I Specific instructions from the manufacture; or
 - II Specific instruction from a professional engineer or architect licensed in Washington State.

For example:

A manufactured home is installed over a basement and the manufacturer's instructions do not address this application:

A manufactured home is installed on a site where a specific soil bearing capacity is not addressed in the manufacturer's instructions.

- c. A manufactured home must be anchored per the manufacturer's installation instructions or per the design of a professional engineer or architect licensed in Washington.
- d. A manufactured home must have a skirting around its entire perimeter. It must be installed per the manufacturer's installation manual or if the manufacturer is not specific, to the standards in this section. It must be vented and allow access to the under floor area per the manufacturer's installation instructions.
- e. A manufactured home site must be prepared per the manufacturer's installation instruction or per ANSI A225.1, 1994 edition, section 3.
- f. Heat duct crossovers must be installed per the manufacturer's installation instruction manual.
- g. Dryer vents must exhaust to the exterior side of the wall or skirting.
- h. Hot water tank pressure relief lines must exhaust to the exterior side of the exterior wall or skirting and must exhaust downward.
- i. Water piping must be protected against freezing as per the manufacturer's installation instructions or by use of a heat tape listed for use with manufactured homes and installed per the heat tape manufacturer's installation instructions.
- j. The testing of water lines, waste lines, gas lines, and electrical systems must be as per the manufacturer's installation instructions.

FOUNDATION SYSTEMS

1. Footings shall be constructed of the following materials:

- a. Solid concrete or an approved alternate that is at least 3 ½ inches thick by 16 inches square; or
- b. 8 by 16 by 4 inch solid concrete blocks that are laid with their joint parallel to the main frame longitudinal member; or
- c. Continuous concrete runners, 20" minimum width X 6" minimum depth and with two #4 (1/2") rebar running continuously, supported 3" above the grade.
- d. 2" nominal treated limber footing pad.
- 1. Footings shall be installed in the following manner:
 - a. Evenly bedded and leveled.

Page 3 of 28 May 6, 2011

- b. Placed on firm, undisturbed, or compacted soil that is free of organic material.
- c. Centered in line directly under the main frame longitudinal member on both sides of a manufactured home.
- d. Spaced not more than 8 feet apart and not more than 2 feet from the ends of the main frame. A closer spacing may be required, depending on the load-bearing capacity of the soil.
- 1. A manufactured home with more than one section must have center line blocking at end walls and at any other point of connection of the sections of the manufactured home that are ridgebeam bearing support. Blocking is also required at both ends of a door opening that is 6 feet wide or more in an exterior wall.
- 2. If a manufactured home requires footings on its exterior perimeter, the footings shall be installed below the frost line. Footings for the main frame longitudinal members must be recessed only if frost heave is likely to occur.
- 3. Footings shall be constructed so that 75 percent of the area under the manufactured home has at least 18 inches of clearance between the bottom of the main chassis members and ground level. The area beneath furnace crossovers and fireplaces must always have at least 18 inches clearance. At no point under the manufactured home may clearance be less than 12 inches.

PIERS

An installer must build and position piers and load-bearing supports or devices to distribute the required loads evenly. An installer may use manufactured piers or load-bearing supports or devices that are listed or approved for the intended use, or may build piers that comply with the following requirements. All blocks must be made of concrete.

- 1. A pier may be made of a single stack of 8 by 8 by 16-inch blocks if the blocks are not stacked more than 36" high. A pier made of a single stack of blocks shall be installed at a right angle to the main frame longitudinal member and shall be capped with no more than two 2 by 8 by 16 inch wood blocks or one 4 by 8 by 16 inch concrete block.
- 2. A pier may be made of a double stack of 8 by 16-inch blocks if the blocks are not stacked more than 80" high. Each row of blocks in such a pier shall be stacked at right angles at the abutting rows of blocks. A wood block must be of hem-fir, Douglas fir, or spruce pine fir. The pier shall be capped with two 2 by 8 by 16 inch wood or concrete blocks. The pier shall be installed so that the joint between the cap blocks is at right angles to the main frame longitudinal member.
- 3. A pier may be made exceeding 80"high if the stacked blocks are filled with concrete. A licensed architect or professional engineer must approve a foundation system that includes a pier that is higher than 80" high.
- 4. All blocks shall be set with cores place vertically.

PLATES AND SHIMS

An installer may fill a gap between the top of a pier and the main frame with a wood plate that is not more than 2 inches thick and two opposing wedge-shaped shims that are not more than 2 inches thick. Wood plates and shims must be of hem-fir, Douglas fir, or spruce pine fir. A shim shall be at least 4 inches wide and 6 inches long. The installer shall fit the shim properly and drive it tight between the wood plat or pier and the main frame to ensure that the manufactured home is level and properly supported at all load bearing points. A block that abuts a wedge-shaped shim shall be solid.

Page 4 of 28 May 6, 2011

City of Bainbridge Island BUILDING DIVISION Submittal Requirements



PLANNING AND COMMUNITY DEVELOPMENT ● 280 Madison Ave. N ● Bainbridge Island, WA 98110 ● (206) 842-2552 ● Fax: (206)780-0955

Email: pcd@ci.bainbridge-isl.wa.us

OUTLINE OF REQUIREMENTS

Please use this document as to insure that all required information is included on your project plans.

- 1. BUILDING PERMIT APPLICATION.
- 2. **STORMWATER DRAINAGE PLAN**. Included in this Single Family Residence packet is an information packet for Stormwater Drainage to assist you in determining your stormwater drainage requirements.
- 3. PLANS AND DRAWINGS (two copies)
 - a. Format

1) Sheet size (select one) 18X18", 18X24", 24X36"

- 2) Title block Locate the following on the right-hand margin of all sheets:
 - a) Project Name and Address
 - b) Drawing Number and Revision Column
 - c) Project address
 - d) Name, address and phone number of firm primarily responsible for drawing
- 3) Scale All site drawings shall be of a consistent scale. Indicate scale with bar-symbol for plan reduction integrity. Unless site dictates a different scale, site drawings are preferred to be at a scale of 1" = 20' or 1" = 30'.

Architectural plans and elevations shall be 1/4'' = 1'

4) North arrow - Include on all site and site-related drawings

4. SITE PLAN (two copies attached to the construction drawings)

- a. Property lines: Show the location and dimension
- b. Easements: Show the location for all existing and proposed utility, open space, drainage, native growth protection, and access easements and /or private roads; drawn to scale with accurate dimensions.
- c. Existing and proposed structures: Show location, dimension, and use of all existing and proposed buildings and structures on the site; show distances to property lines from eave line of structure.
- d. Land use code setbacks: Show front, side, rear, and street setbacks (if applicable). Designate which are the front, side and rear property lines.
- e. Walls and fences: Indicate location, length, and height.
- f. Streets and alleys: Show location, name and number of all streets and alleys adjacent to the site; show any off-site easements or private streets that provide access to a public road.
- g. Driveways and parking: Show location of on-site parking and driveways.
- h. Adjacent right-of-way: Locate and label the existing centerline, curb, and sidewalk. Distances to R.O.W. centerline must be to scale.

Page 5 of 28 May 6, 2011

- i. Spot elevations and topography: Show surface elevation at each corner of the site and at the corner of structure base. Show existing and proposed contours at 2' intervals.
- j. Indicate all existing and proposed retaining structures and/or rockeries. Show maximum heights.
- k. Show building height calculations as defined in the land use code.
- 1. Show where all roof, footing, driveway and other drains will be connected and/or disposed of. If infiltration system is proposed or required, show design and calculations for size.
- m. Show location of sump area a minimum of 200 square feet in size for washing out concrete trucks and directing wash water from exposed aggregate driveways.
- n. Ordinary high water mark: Must be shown if site is situated in a shoreline district.

5. FLOOR PLANS

- a. Give square footage for each floor, including decks and garages.
- b. Floor layout: Show arrangements of walls; note proposed use and dimensions of all rooms; show stairs, hallways, restrooms, and decks.
- c. Windows and doors: Show location and dimensions of all windows, doors, and skylights and indicate opening direction and size.
- d. Fixture location: Show locations of hot water heater, heating unit, fans, bathroom fixtures, mechanical equipment, etc.
- e. Smoke Detectors and Egress Windows called out on Floor Plans
- 6. **ELEVATIONS:** Show elevations from north, south, east, and west; provide spot elevations for each corner; provide finished floor level for each floor; show maximum building height; show maximum site slope.
 - a. Show existing and Proposed grades;
- 7. **ROOF**: Show roof overhangs and chimney clearances from roof; indicate pitch of roof.
- 8. **SIDING**: Note exterior siding and roof covering.
- 9. **OPENINGS**: Show doors, windows, skylights, sliders, or other types of opening vents in windows.
- 10. **DECKS AND PORCHES**: Indicate height of guardrail and space of intermediate railing. Show rise/run of stairs with handrail grasp dimension and height above nosing or stair tread.

11. DOOR AND WINDOW SCHEDULE

- a. Show door size, type, and closure devise for doors between the garage and dwelling and which way all doors open.
- b. Show window size and opening direction and size.
- c. Show bedroom egress window location, clear open size, sill height, and type of opening (i.e., slider, casement, etc.)

12. FOUNDATION

- a. Foundation wall: Show foundation plan, shape, all dimensions; include maximum wall height(s) and all connections; Provide typical foundation sections at various points around the foundation system.
- b. Posts and footing: Show location and size of beams, posts, interior footings and their dimensions and connections.
- c. Crawl spaces: If crawl space is included, show location and size of all vents, access size, and location.
- d. Floor joists: Show size, spacing, direction, support connections, blocking, etc.

Page 6 of 28 May 6, 2011

- e. Other Spaces: Show and label space within foundation (i.e., basement, garage, recreation room, etc.).
- f. Retaining Walls: Retaining structures in excess of five feet in height require engineered design with calculations.
- 13. GEOTECHNICAL REPORT: Required where unstable soil conditions are found or thought to exist.
- **14. Engineered Foundation:** Stamped engineered plans with calculations are required for non-conventional foundation systems and/or sites with special soils conditions.

15. ROOF, DECK AND FLOOR FRAMING PLANS

- a. Roof, floor, and deck joists: Show joist size, spacing, direction, support, connections, blocking, etc.
- b. Bearing Walls: Show all bearing walls and/or post-beam support to foundation.
- c. Show all header sizes for door, window, and other openings.
- d. Show connections for all framing elements in structural details.

16. STRUCTURAL CROSS SECTIONS AND DETAILS

- a. Show a typical wall section with all materials labeled; indicate size and spacing of all members; include all dimensions; show insulation, sheathing, connections, siding, etc.
- b. Show typical roof section with all materials labeled; indicate size and spacing of all members; include all dimensions, venting, insulation, and connection.
- c. Show typical foundation and floor section with all materials labeled. Show size and spacing of all members. Show all dimensions, wall thickness, reinforcing bar size and spacing, reinforcing bar clearance. Show footing depth below grade, clearance between grade and sill plate, maximum wall height, connections, anchor bolt size and spacing. Show connection between floor diaphragm and foundation, slab thickness, slab or floor insulation. Show drainage for foundation retaining wall.
- d. Show all connection details, including post-beam, post footing, collar tie, etc. *Note: Roof collar tie details require engineered calculations to be submitted.*

17. ARCHITECTURAL CROSS SECTIONS AND DETAILS

- a. Show cross section of a typical wall; call out material types and thickness and insulation values. These call-outs may be done on the structural cross section.
- b. Show a cross section of a typical roof and floor; call-out material types and thickness and insulation values. These call-outs may be done on the structural cross section.

18. STRUCTURAL NOTES

- a. Specify all design load values, including dead, live, snow, wind, lateral retaining wall pressures, and soil bearing values.
- b. Specify minimum design concrete strength (2,500 psi minimum), concrete sack mix, and reinforcing bar grade.
- c. Specify the grade and species of all framing lumber.
- d. Specify the combination symbol (strength) of all GLU-LAM beams.
- e. Specify metal connectors, including joist hangers, clips, post caps, post bases, etc.

19. ENERGY CODE

a. Show insulation R values in appropriate places on architectural sections.

Page 7 of 28 May 6, 2011

- b. Provide a design summary on the plans; include R values of insulation, glazing class of the windows and skylights, percentage of total glazing to floor area, type of heating system and heating system efficiency rating.
- c. If a U value analysis is used for code compliance, provide a design summary on the plans; include U values of insulation, U values of all windows and skylights, wall assemblies, floor assemblies and roof assemblies. Specify the type of heating system and efficiency rating. Attach a set of the U-value analysis calculations to each plan set.
- d. Provide on the plans the ratio of window/skylight area to heated floor area.
- 20. **FIREPLACE SECTION**. Show a section of the fireplace, including hearth and hearth extension. Include dimensions, materials, clearance from combustibles, height above roof, reinforcing, seismic anchorage, and foundation details.
- 21. **STAIR SECTION**. Show a section of the stairs; include rise, run, handrail height and grasp dimensions, distance between any intermediate rails, fire blocking, minimum head-room, and landing size. Also specify a minimum one-hour fire protection or usable space under stairs.

Regardless of whether the structure is exempt or nonexempt, Washington State-registered architects and engineers must stamp and sign all drawings prepared by them when filed with public authorities. RCW 18.43.070 & RCW 18.08.370

An application may require further information necessary to complete the review. You will be notified when further information is required.

Page 8 of 28 May 6, 2011

OWNER/APPLICANT AGREEMENT



Please complete this form if you are an agent/contractor for the owner of the property for which the Building Permit is being submitted.

OWNER/APPLICANT AGREEMENT

The undersigned is owner(s) of record of property id	lentified by Kitsap County Assess	sor's Account
Number(s)			
Site address and/or location	n		
The undersigned hereby gi	ve consent and approval t	o an application for a	
	of the land referenced	above as initiated by	
	, acting for the undersig	gned.	
Owner of record	date	Owner of record	date
STATE OF WASHINGTO	ON} } SS. }		
On this day of for the State of V	, 20, 20, 20	_, before me, the undersigned, a number is a number of the median methods and sworn, pe	rsonally appeared
that they singed and sea	led the said instrument, d purposes therein mention	the foregoing instrument, and a as their free and voluntary aconed, and on oath stated thath	cknowledged to me t and deed of said
WITNESS MY HAND AN written. The day of		reto affixed the day and year in the 20	is certificate above
		Notary Public in and for the S Residing at	

Owner/Applicant Agreement

July 27, 2007

City of Bainbridge Island Dept. of Planning and Community Development 280 Madison Avenue North • Bainbridge Island, WA • 98110-1812

Phone: (206) 842-2552 • Fax: (206) 780-0955 • Email: pcd@ci.bainbridge-isl.wa.us

www.ci.bainbridge-isl.wa.us

This page intentionally left blank.

Page 10 of 28 May 6, 2011

	otive Energy	Code Cor	mpliance fo	r Single F	amily an			g: Zone 1			
Project Inf	ormation					Contact Inf	ormation			MINISTER S	
his set	of forms has	been deve	eloped to as	sist permit	applican	ts docume	enting co	mpliance w	vith the		72
	ton State Ene	ergy Code	, (2009 editi	on). This s	set is for s	structures	built und	ler the IRC	and locate	d	
	te Zone 1.										
	wing forms p				umentatio	on for plar	review.	The details	noted here	е	
	o be shown o		- '								
	n is not a sub						of the en	ergy code,			
o to the	following we	b address	. http://www	.energy.ws	su.edu/co	de					
	Glazing	Clasina	II Faston				Wall ¹²	all ¹² Wall· int ⁴	Wall· ext4		Slab ⁶
Option	Area ¹⁰ :	Glazing	g U-Factor	Door 9	Ceiling ²	Vaulted Ceiling ³	Above	Below	Below	Floor ⁵	on
	% of Floor	Vertical	Overhead ¹¹	U-Factor		Ceiling	Grade	Grade	Grade		Grade
ı		0.24	0.50	0.20	R-49 or	D 20	R-21	R-21	D 10	D 20	R-10
	13%	0.34	0.50	0.20	R-38 Adv.	R-38	Int. ⁷	TB	R-10	R-30	2'
\rightarrow					R-49 or						
) II	25%	0.32	0.50	0.20	R-38	R-38	R-21	R-21	R-10	R-30	R-10
					Adv.		Int. ⁷	TB			2'
III					R-49 or		R-21	R-21			R-10
	Unlimited	0.30	0.50	0.20	R-38	R-38	Int. ⁷	TB	R-10	R-30	2'
					Adv.						
	and doors me						nod subr	nitted.			
	Option I or II,	_									
	Area weighte	d window,	, skylight or	door U-fa	ctor (WSI	EC 602.7.2	2)				
- ,	As part of the	heating s	ystem sizing	g calculation	on (IRC M	1401.3 &	WSEC 5	03.2.2)			
adiant											
]	R-10 foam in:	sulation, c	ontinuous w	ith therma	l break (\	NSEC 50	2.1.4.9)				
hapter	9 Options <u>T</u>	otal of 1	Credit Requ	iired							
-	Opt. Descript										
	High Efficiend		Equipment 1								
	High Efficiend]				
1c	High Efficiend	y HVAC E	Equipment 3	}							
	High Efficiend			System							
	Efficient Build										
	Efficient Build						1				
	Super-Efficie		Envelope 3								
		Control an					1				
1h	Additional Air		d Efficient V				1				
		Leakage	d Efficient V Control and		/entilation	1					
5a	Efficient Water	Leakage er Heating	d Efficient V Control and		/entilatior	1					
5a 5b	Efficient Water High Effiecier	Leakage er Heating ncy Water	d Efficient V Control and		/entilatior	1					
5a 5b 6	Efficient Wate High Effiecier Small Dwellin	Leakage er Heating ncy Water ng Unit	d Efficient V Control and		/entilation	1					
5a 5b	Efficient Water High Effiecier	Leakage er Heating ncy Water ng Unit ng Unit	d Efficient V Control and Heating		/entilation	1		*1200 kwh			

WSEC Prescriptive Worksheet (2010 edition) Zone 1

WSUEEP10-010 Copyright 2010

Page 11 of 28 May 6, 2011

* Reference Case

- **0.** Nominal R-values are for wood frame assemblies only or assemblies built in accordance with Section 601.1.
- 1. Minimum requirements for each option listed. For example, if a proposed design has a glazing ratio to the conditioned floor area of 15%, it shall comply with all of the requirements of the 25% glazing option (or higher). Proposed designs which cannot meet the specific requirements of a listed option above may calculate compliance by Chapters 4 or 5 of this Code.
- 2. Requirement applies to all ceilings except single rafter or joist vaulted ceilings complying with note 3. 'Adv' denotes Advanced Framed Ceiling.
- 3. Requirement applicable only to single rafter or joist vaulted ceilings.
- **4.** Below grade walls shall be insulated either on the exterior to a minimum level of R-10 continuous, or on the interior as a framed wall. Exterior insulation installed on below grade walls shall be a water resistant material, manufactured for its intended use, and installed according to the manufacturer's specifications. See Section 602.2.
- **5.** Floors over crawl spaces or exposed to ambient air conditions.
- 6. Required slab perimeter insulation shall be a water resistant material, manufactured for its intended use, and installed according to manufacturer's specifications. See Section 602.4. For slabs inside a foundation wall, the insulation shall be installed to provide a thermal break (TB) between the slab edge and the foundation. Monolithic slabs shall include insulation, installed outside the foundation wall, and shall extend downward from the top of the slab for a minimum distance of 24 inches or downward and then horizontally for a minimum combined distance of 24 inches. Monolithic slabs shall also include R-10 insulation under the non-load-bearing portions of the slab.
- 7. Int. denotes standard framing 16 inches on center with headers insulated with a minimum of R-10 insulation.
- **8.** Reserved.
- 9. Doors, including all fire doors, shall be assigned default U-factors from Table 10-6C.
- **10.** Where a maximum glazing area is listed, the total glazing area (combined vertical plus overhead) as a percent of gross conditioned floor area shall be less than or equal to that value. Overhead glazing with U-factor of U=0.35 or less is not included in glazing area limitations.
- **11.** Overhead glazing shall have U-factors determined in accordance with NFRC 100 or as specified in Section 502.1.5.
- 12. Log and solid timber walls with a minimum average thickness of 3.5" are exempt from this insulation requirement.

www.sbcc.wa.gov http://www.energy.wsu.edu/code/

Page 12 of 28 May 6, 2011

City of Bainbridge Island BUILDING DIVISION

Φ Building Square Footage Worksheet Φ



PLANNING AND COMMUNITY DEVELOPMENT ● 280 Madison Ave. N ● Bainbridge Island, WA 98110 ● (206) 842-2552 ● Fax: (206)780-0955

Email: pcd@ci.bainbridge-isl.wa.us

Owner:	Permit:	_
Site Address:		
	Date:	

1 st Floor	SF
2 nd Floor	SF
Basement	SF
Garage/Carport	SF
Above Garage	SF
Decks	SF
Other	SF
Other	SF
Totals	SF

THE DETERMINATION OF BUILDING PERMIT FEES FOR PROJECTS REVIEWED BY THE CITY OF BAINBRIDGE ISLAND BUILDING DIVISION WILL BE BASED ON VALUATION COMPUTED FROM THESE FIGURES.

Page 13 of 28 May 6, 2011

This page intentionally left blank.

Page 14 of 28 May 6, 2011



Intake Initials:

REVISION FORM

CITY OF BAINBRIDGE ISLAND

Planning And Community Development ● 280 Madison Ave. N ● Bainbridge Island, WA 98110 ● (206) 842-2552 ● Fax: (206)780-0955

Email: pcd@ci.bainbridge-isl.wa.us

Any change from the last submitted or approved plans will constitute the need for approval from the Building Official, unless otherwise noted (2009 IRC R106.4). Use this form for making a revision to an approved drawing or submitted document in review. Check the appropriate department that requested the revision and write a detailed description of the revision. Attach a copy of the Inspector's Correction Notice, if applicable. Revisions that are not clear will be returned to you for clarification and/or charged additional review fees.

oplicant/Contact:		BP#
ontact Phone:	Email Address:	
neck appropriate box as to w	who initiated this REVISION :	
OWNER Please check	INSPECTOR I all that apply: We need Two COPIES	PLAN REVIEWER S of All submittals.
☐ Non-Structural Revision	ons.	evision
☐ STRUCTURAL Revision.	☐ Site Plan Revision	
Detailed Description of the Rev (List each revision or attach a li	vision/Correction: st of responses, highlight revised sec	tions of plans and or details.)
-	st of responses, highlight revised sec	tions of plans and or details.)
-		
(List each revision or attach a li	st of responses, highlight revised sec Internal Use Only:	Date:
(List each revision or attach a li	Internal Use Only: Approved By:	
□ Building Division □ Planning Division	Internal Use Only: Approved By: Approved By: Approved By:	

Page 15 of 28 May 6, 2011

Date:

ATTENTION Permit Holders!

Please provide our office with as much lead-time as possible to avoid delays in your project.

Page 16 of 28 May 6, 2011



CITY OF BAINBRIDGE ISLAND/

BAINBRIDGE ISLAND FIRE DEPARTMENT

Address Request Form

PLANNING AND COMMUNITY DEVELOPMENT ● 280 Madison Ave. N ● Bainbridge Island, WA 98110 ● (206) 842-2552 ● Fax: (206)780-0955

Email: pcd@ci.bainbridge-isl.wa.us



The City coordinates addresses and street names with the Bainbridge Island Fire District, CENCOM(911), the post office, and the Police Department so that emergency vehicles and personnel can quickly and accurately find the location to which they've been called and so that mail may be delivered accurately.

Please return this form to the Department of Planning & Community Development.

Reason for request:		
\square Existing \square	\square New \square (Correction Change Additional
NAME:		PHONE:
MAILING ADDRESS:		
Tax Lot Number (Assess (For parcel being assigne):
Name of Street being acc (i.e. Madison Ave		
Use of Address: ☐ Single Family Resident	ence	Building Permit #: BLD Family Accessory Dwelling Unit Commercial Property
	nd access from th	operty, including all road names in the area and addresses of your neighbor's. ne street. If addressing multi-family units or commercial tenant space, please s.
Your New Address is	s:	
inches in height for comme	ercial on a contras hey shall be disp	their new number in numerals not less than three inches in height and five sting background on the front of their building, unless it is not visible from the layed at the main entrance to the property. If any information changes or is ubject to change.
		Internal Use Only:
☐ Sent to BIFD By:		Date:
☐ Address Assigned	By:	Date:
☐ KSAM Updated	By:	Date:
☐ Tidemark Updated	By:	Date:

Page 1 of 28 Revised: April 1, 2010

This page intentionally left blank.

Page 2 of 28 May 6, 2011

Residential Building Permit Submittal Checklist

BA	14	Applicant:			Permit	#		
_	Ser L	BUILDING DIVIS	SION		Date:			
		CITY OF BAINBRIDGE	ISLAND - BU	ILDING		YES	NO	N/A
1.	Ov	vner/Applicant Agreement Required?						
2.		rections to job site & Vicinity Map						
3.	FL	OOD PLAIN (Make Tidemark Entry if a	pplicable)					
4.	En	ergy Code Checklist complete (WHF loca	tion) & matches	plans (Glazing	%)			
5.	Tv	vo complete plan sets:						
	<u>></u>	Plans legible, dimensioned and to scale	;					
	>	Smoke Detectors & Egress Windows C	Called Out					
	>	Architect stamped and signed						
	>	Engineer plans/calcs stamped & signed						
	>	Lateral analysis/braced wall panels iden	ntified					
	>	Site Plan						
		• Generator						
		• LP Tank						
		Heat Pump						
	>	Foundation Plan						
	>	Floor Plan Identify Rooms/WHI	F Location					
	>	Heating System Location/Type	ELECTRIC	<u>Propane</u>	<u>Oil</u>			
	>	Furnace						
	>	Heat Pump (& Furnace)						
	<u>></u>	Boiler						
	>	Radiant Heat						
	>	Electric Baseboard/Radiant						
	>	Water Heater						
	>	Auxiliary Heat/Furnace? Location?						
	>	PROPANE						
		• Tank Size						
		 Appliances & Location 						
	>	Fireplaces – Number/Type/Location						
	>	Cross-Section						
	>	Elevations						
	>	Roof Framing						
	>	Blank Inspection Card in File						
6.		Address Form (Check Tidemark, COBI GIS & I	Kitsap County GIS, if th	ney don't match fill ou	t form)			
7.		Stamp in Plans (Date & L	arge Building L	Div Stamps)				
8.		Plan Review	v Checklist					
9.		Attach Revision Notification & label,	Shear Wall/BW	VP/Hold Down	label			
							_	

Page 3 of 28 May 6, 2011

PL	ANNING	YES	NO	N/A
1.	Check Planning Intake Checklist for Geotech Report Notes			
2.	3 rd Party Geotech Report (Red Form, make Tidemark entry and route to Josh)			
3.				
4.				
5.				
PU	BLIC WORKS	YES	NO	N/A
1.	Drainage Plan (Can be shown on Site Plan)			
	Surface & Storm Water Management Checklist (SSWM)			
2.	Road Approach			
3.	Water Availability Letter			
4.	Connection to Existing System			
5.	Geotech Report (Steps 1 and/or 2)			
Kľ	rsap county health	YES	NO	N/A
1.	Building Site Application (BSA)		_	_
	Check expiration date. BP must be issued prior to expiring.			
2.	Building Clearance (On-Site Sewage or Sewered Properties)			
3.	Building Clearance Exemption			
3.	Sewer District #7			
4.	Sewer/Water Letter			
5.	Miscellaneous			
6.	Other			
FIR	RE DEPARTMENT	YES	NO	N/A
1.	Is this permit a: SFR?			
	Manufactured Home (Mobile)?			
	ADU (Accessory Dwelling Unit)?			
2.	Sent to Fire a Copy of BP Application with			
	Planning permit number in the "Special Conditions" section			
3.	Residential Fire Sprinkler System? (sq. ft. Home)			
4.	Planning Review Permit Number			
	After creating the case, print a copy of the Tidemark "Case Description" by clicking			
	on the word "File" then click on "Print". Punch 2 holes in it and file it where the			
	Inspection Card goes			
No	tes:			
110				
-	Decalized Dec			
	Received By:			

Page 4 of 28 May 6, 2011

City of Bainbridge Island Road Approach Permit Procedures


Any connection to be made to a public or private roadway requires an approved permit from the Public Works / Engineering Department. The following are the steps for this procedure:

- 1. Complete application. Give an accurate location such as "on the west side of White Lane, between house "#123 & #567," or "on the west side of the White Lane 600 feet north of Black Road".
- 2. Include a drawing showing the location of the drive on the property and show the North Direction. Include a site map of the subject property.
- 3. All Driveway locations must be flagged to allow inspection prior to approval.
- 4. Driveways should be situated with consideration of traffic safety, good construction practice, proper stormwater drainage, and utility locations. 12-inch diameter culverts are required to be installed in most cases.
 - a) If the permit application is submitted with a building permit application, the approved road approach permit will be returned to the applicant at time of building permit issuance from the Building Department.
 - b) If the permit is submitted without a building permit, upon approval the Engineering Department will mail the approved permit to the applicant.

Please note that a copy of the approved permit must be on site at all times during construction.

- 5. The applicant is required to notify Public Works / Engineering at the completion of construction.
 - a) If the permit was applied for with a building permit, the inspection approval will be noted on the building permit card (inspection number seven).
 - b) If the permit was not applied for with a building permit the Engineering Department will mail a copy of the signed off permit to the applicant.
- 6. Nothing in this permit shall infringe the City's right to conduct any necessary maintenance within the right-of-way, nor require the City to provide any maintenance or service other than that required by law or City Policy.

Page 5 of 28 May 6, 2011



Page 6 of 28 May 6, 2011

City of Bainbridge Island Engineering Department

280 Madison Ave. N., Bainbridge Island, WA 98110 Phone 206.842.2016 Fax 206.780.3710


ROAD APPROACH APPLICATION and PERMIT

Applicant:			Phone:		
	Print Legibly				
Project Address or Location:		Subdivision:			
Road to be Approached:		Nearest Cross Street:			
Tax Lot Number.:		Section: Township: _	Range: <u>2E W.M.</u>		
Description of Project: (Cons	structing new driveway, p	paving, widening driveway, e	etc.)		
Is this an existing approach?	How n	nany residences will this app	roach serve?		
Applicant's choice of culvert	t pipe material: Concre	ete Aluminum Steel Oth	er		
	Attach a sketch	of the proposed work.			
Date Received:	Road #:	Easting:	Permit Number:		
	Station:	Northing:			
	Offset:	Offset:	For Official Use		
All material must meet W.S.D. of Bainbridge Island road con months of the date of approval These special conditions mu	struction standards. All w !.		rk must be performed to the City nust be completed within 6		
Nothing in this permit shall in require the City to provide any		· · · · · · · · · · · · · · · · · · ·	nance within the right-of-way, no or City Policy.		
I hereby certify that I am the o said owner to make these impr			proach, or that I am authorized by aditions of this permit.		
Applio	cant's signature or author	rized representative	Date		
Applio	cant's mailing address	City	State Zip Code		
Approved - Engineering Div	ision Date	Inspected - Engineering	Date		
Date Permit Expires:					

*Public Works must be notified on completion for final inspection. Driveways must be flagged for approval.

PW Forms Rev. 12/02

Page 7 of 28 May 6, 2011



Page 8 of 28 May 6, 2011

City of Bainbridge Island Surface & Stormwater Management (SSWM) Plan Worksheet



To be completed by the applicant and submitted with construction permit applications that require a Surface & Stormwater Management Plan (SSWMP) or Storm Water Pollution Prevention Plan (SWPPP). Submit this form at the time of initial construction permit application. Two copies are required.

Prevention Plan (SWPPP). Submit this form <u>at the time of initial construction permit</u> application. Two copies are required.
Related Application or Building Permit Number:
Date: Applicant's telephone #:
Applicant's name:
Applicant Signature:
Site address or location:
Project Name:
impervious surfaces or newly disturbed clearings on your parcel. Impervious surface means a hard surface area which either prevents or retards the entry of water into the soil mantle (as under natural conditions prior to development), and/or a hard surface area which causes water to run off the surface in greater quantities or at an increased rate of flow from the flow present under natural conditions prior to development. Common impervious surfaces include, but are not limited to, roof tops, walkways, patios, driveways, parking lots, storage areas, sport courts, concrete or asphalt paving, gravel roads, packed earthen materials, and oiled, macadam or other surfaces which similarly impede the natural infiltration of storm water. Disturbed land includes any land where vegetation is cleared to make way for your project, including all areas graded for cut & fill, cleared for construction, cleared for landscaping, pastures, septic system etc. Construction site clearing, grading or excavating which results in disturbance of 1 acre or more is required by Washington State Department of Ecology to obtain an NPDES Construction Stormwater General Permit for stormwater discharges associated with construction activity. The permit can be found at the following web site. http://www.ecy.wa.gov/programs/wq/stormwater/construction/index.html#permit_factsheet References: Bainbridge Island Municipal Code, Chapter 15.20, Surface and Storm Water Management Bainbridge Island Municipal Code, Chapter 15.21, Storm Water Facilities Maintenance Program Washington State Department of Ecology Storm Water Management Manual for the Puget Sound Basin
IS THIS PARCEL WATERFRONT PROPERTY? □ Yes □ No
IS A GEOTECHNICAL REPORT REQUIRED FOR BUILDING ON THIS PROPERTY? ☐ Yes ☐ No If "Yes", then prior to submission of this plan or building permit, your geotechnical engineer must give concurrence for the drainage plan or SWPPP confirming that your proposed plan handles stormwater in a manner that doesn't reduce the geotechnical stability of the property. DOES AN ENGINEERED COMMUNITY/REGIONAL STORM WATER SYSTEM EXIST TO SERVE YOUR PARCEL? Yes ☐ No ☐ Don't Know ☐ If yes, plat name and lot number:

Department of Public Works: 280 madison Avenue North • Bainbridge Island, WA • 98110-2824 Phone: (206) 842-2016 • Fax: (206) 780-3710 • WEB: www.ci.bainbridge-isl.wa.us

City of Bainbridge Island



Surface & Stormwater Management (SSWM) Plan Worksheet

Infiltration Table

PROPOSED IMPERVIOUS SURFACES: 24-hour, 10-year return rainfall = 3.2 inches Fill in all applicable blanks below to list the square footage of all impervious areas proposed **INFILTRATION METHOD:** Grand on your parcel. For buildings, measure out to the **Total** edge of the eaves. Don't include decks with slots. Impervio us AREA un Square in Square 4 Foot GRAVELLESS CHAMBERS **BED** in square feet WIDE (3') TRENCH in lineal feet Houses: _____ft² Detached Garage: ft² Outbuildings: _____ft² Feet Driveways: _____ft² 0 - 100 101 - 200 201 - 300 15 58 12 2 3 Sidewalks: _____ ft² 301 - 400 Patios: _____ft² 401 - 500 501 - 600 601 - 700 41 5 202 Other: _____ ft² 701 - 800 801 - 900 901 - 1000 Grand Total: 1001 - 1100 1101 - 1200 346 70 87 9 1201 -If your 'Grand Total' is less than 800 square 87 1301 - 1400 feet, no plan is required. 1401 - 1500 1501 - 1600 1601 - 1700 98 12 123 If your 'Grand Total' is greater than 800 square 1701 -feet, but less than 5,000 square feet, a drainage 1801 - 1900 1901 - 2000 plan is required, and you may utilize this 16 634 2001 - 2100 2101 - 2200 159 127 prescriptive worksheet. 2201 - 2300 2301 - 2400 If your 'Grand Total' is greater than 5,000 square 2401 - 2500 feet, or if your new disturbed land is greater than 2501 - 2600 2601 - 2700 19 778 195 156 43,560 square feet, an engineered drainage plan 2701 - 2800 is required and must be prepared by a 2801 - 2900 professional Engineer, licensed by the State of 2901 -3001 - 3100 3101 - 3200 922 185 23 Washington. (With an exception for waterfront 231 properties discharging directly to the shoreline.) 3201 - 3300 3301 -3401 -26 3501 -3601 -Infiltration Type and Size: 3701 -Find your grand total in the chart at the right, 3801 -choose your method, find your size and fill in 3901 -4001 - 4100 4101 - 4200 1210 242 30 preferred method below. 303 4201 - 4300 4301 - 4400 ☐ Infiltration Bed: _____sq.ft. 4401 - 4500 ■ Standard Trench: _____ 33 4501 - 4600 4601 - 4700 1354 339 271 ■ Wide Trench: _____

> 5000 Must have an engineered drainage plan.

Page 2

☐ 4' Chambers: chambers

Revised 01/01/2007

4701 - 4800

4801 - 4900

4901 -

City of Bainbridge Island Surface & Stormwater Management (SSWM) Plan Workshee



Descriptions:

Drain rock: $\frac{3}{4}$ " to $1\frac{1}{2}$ " round washed rock.

Infiltration Bed:large, flat, level, usually rectangular, pit with a minimum 1 ft. deep bed of drain rock, with a large loop of perforated pipe in upper 1/3 of rock, covered with filter fabric & 6" or more compact backfill. No infiltration credit is given for pit sidewalls.

Standard trench: ...uses 2-ft.-wide backhoe bucket; with trench deep enough for 1 ft. of drain rock under & 6" above the perforated pipe [the length of the trench]; entire trench & contents wrapped with filter fabric; with 6" or more compact backfill above. With 2 ft. across bottom of trench & 1 ft. sidewall credit up each side, for every lineal foot of trench you achieve 4 ft² of infiltration area.

Wide trench:same as standard trench but uses 3-ft.-wide excavator bucket. With 3 ft. across bottom of trench & 1 ft. sidewall credit up each side, for every lineal foot of trench you achieve 5 ft² of infiltration area.

Gravelless Chambers: Often called infiltrators. These molded 'half-pipe' black or yellow plastic chambers are completely open on the bottom and have louvers on the sides.

Revised 01/01/2007 Page 3 of 4

City of Bainbridge Island Surface & Stormwater Management (SSWM) Plan Worksheet

Appendix

Waterfront Release

Applicability:

As long as provisions are made for preserving water quality, your release of stormwater to Puget Sound should have no significant impact on the shoreline.

You may collect all stormwater and route it to the beach area, with a few restrictions:

- The outfall must be above the ordinary high water mark per BIMC 16.12 and not release an erosive concentrated flow to the beach. This is normally achieved by either placing a quarry spall energy dispersion pad at the outfall, releasing into a rock pocket behind a bulkhead, or releasing behind or into a natural structure that resists erosion and assists dispersion, such as a root ball mass.
- All proposed releases to the shoreline shall be coordinated with the Washington State Department of Fish & Wildlife. Generally, if the pipe releasing stormwater to the beach area is larger than 8" diameter a shoreline permit is required. The Planning & Community Development (PCD) Department can assist you with shoreline permits.
- If any runoff is collected from a driving surface (all driveway and parking areas), it must be treated to remove petroleum products before it is released to the environment. Contact the City's Engineering Division for more information.
- If the discharge pipe traverses a steep bluff on its way to the beach, it must be a continuous pipe that is securely anchored to the surface of the bluff.

Revised 01/01/2007

Page 4 of 4